
Barrington

BPS 350





Barrington Packaging Systems Group

Integrated Packaging Equipment, Materials, Production Services and Marketing Support

WRAPPERS

BPS 350 HFFS Flow Wrapper



The Barrington Two-Year Warranty covers all parts, all labor, and three preventative maintenance service

FEATURES

- Dual frequency conversion control, allows bag to be set and cut in one step, saving film.
- HMI panel for ease in setting parameters.
- Self-diagnosis feature with error message display.
- High sensitivity photocell with digital input of cutting and sealing position for extra accuracy.
- Separate PID temperature control , allowing use of a wide range of packaging materials.
- Positioning stop feature so film will not stick to jaws when machine stops.
- Simple drive system for easy maintenance and reliability.

TECHNICAL SPECIFICATIONS


Film Width (Max)	350mm	13.8"
Package Size		
Length	90-350mm	3.5-13.8"
Width	50-160mm	1.9 - 6.3"
Height	5-60mm	0.2 - 2.36"
Max. Film Roll Diam.	300mm	11.8"
Machine Speed	200ppm	
Machine Size		
Length	3940mm	155"
Width	1010mm	39.8"
Height	1400mm	55.1"
Weight	460kg	1,014 lbs
Power	220V, 50/60Hz,3.2kw	
Film Types:	OPP, PVC, OPP/CPP, PT/PE, KOP/CPP, ALU-FILM	

Barrington Packaging Systems Group, Inc.
Toll-Free: (888) 814-7999•Corporate Headquarters (847) 382-8063
sales@bpsgusa.com • www.barringtonpackaging systems.com

BARRINGTON PACKAGING SYSTEMS


BPS 350

Dimensions




Barrington Packaging
BPS-350
MANUAL
WINDOW
SETTING
SYSTEM
LANGUAGE
WEINVIEW




Barrington
Packaging Systems Group
Model
Serial #
Power
Air


Barrington Packaging
WEINVIEW
E.C.T.STOP
STOP INCHING START

BARRINGTON PACKAGING SYSTEMS

BPS 350

